



Part No.	Inner Dia. I.D.		Number of Elements	Outer Dia. O.D.		Length L		Nozzle Dia. A		Approx. Content Vol (ml)
	Inches	mm		Inches	mm	Inches	mm	Inches	mm	
MS 05-24	0.197	5	24	0.315	8	5.87	149	0.059	1.5	2.3
MS 05-32	0.197	5	32	0.315	8	7.4	188	0.059	1.5	2.8
MS 06-24	0.25	6.35	24	0.394	10	7.28	185	0.075	1.9	4.2
MS 06-32	0.25	6.35	32	0.394	10	9.212	234	0.075	1.9	6.6
MS 06-48	0.25	6.35	48	0.413	10.5	13.15	334	0.087	2.2	10
MS 06-56	0.25	6.35	56	0.413	10.5	14.88	378	0.177	4.5	34.4
MS 06-56-L	0.25	6.35	56	0.413	10.5	15.433	392	0.075	1.9	35.2
MS 08-24	0.315	8	24	0.472	12	8.78	223	0.094	2.4	8.5
MS 08-32	0.315	8	32	0.472	12	11.3	287	0.094	2.4	11.5
MS 10-18	0.394	10	18	0.551	14	8.43	214	0.118	3	12.3
MS 10-24	0.394	10	24	0.551	14	10.87	276	0.118	3	16
MS 10-32	0.394	10	32	0.551	14	13.86	352	0.118	3	23
MS 1012-0832	.394 + .315	10 + 8	12+32	.551 + .472	14.0 + 12.0	16.102	409	0.094	2.4	19
MS 13-24	0.512	13	24	0.669	17	11.535	293	0.157	4	27
MS 13-24-L	0.512	13	24	0.669	17	13.8	350	0.157	4	27
MS 13-32	0.512	13	32	0.669	17	14.921	379	0.157	4	34.5
MS 13-32-L	0.512	13	32	0.669	17	17.756	451	0.157	4	34.5
MS 1312-1032	.512 + .394	13 + 10	12+32	.669 + .551	17.0 + 14.0	19.646	499	0.283	7.2	37.5
MS 13-32-M	0.512	13	32	0.669	17	14.685	373	0.315	8	34.3